




SNOWGROOMER SPARE PARTS

KÄSSBOHRER



KÄSSBOHRER - 5

BELTS & ACCESSORIES




PB 200N / 240 / 260 / 280 / PB 400		COD.GESPI	ORIGINAL
1.	10 mm, 150 mm, long	55 100 814	823.29.30.230.14
2.	10 mm, 150 mm, short	55 100 714	823.29.30.210.14
3.	10 mm, 220 mm, short	55 100 514	823.29.30.240.14
4.	10 mm, 220 mm, short	55 100 514	823.29.30.240.14
5.	10 mm, 220 mm, long	57 100 915	823.29.30.220.14
SET		6 x 220 mm & 4 x 150 mm, lacings included	55 100 298 -
lacings		10mm x 220 mm	60 501 110 -
lacings		10mm x 150 mm	60 501 310 -
bolts		500 units	10 102 900 0.204.014.182.0

KÄSSBOHRER - 5


BELTS & ACCESSORIES

PB 300		COD.GESPI	ORIGINAL
1.	10 mm, 150 mm, long	55 100 417	825.29.30.180.22
2.	10 mm, 150 mm, short	55 100 300	825.29.30.160.22
3.	10 mm, 220 mm, short	55 100 100	825.29.30.190.22
4.	10 mm, 220 mm, short	55 100 100	825.29.30.190.22
5.	10 mm, 220 mm, long	55 100 200	825.29.30.170.22
SET	6 x 220 mm & 4 x 150 mm, lacings included	55 100 198	-
lacings	10mm x 220 mm	60 501 110	-
lacings	10mm x 150 mm	60 501 310	-
bolts	500 units	10 102 900	0.204.014.182.0



KÄSSBOHRER - 5

BELTS & ACCESSORIES



PB 300 300 POLAR PB 600 600 POLAR		COD.GESPI	ORIGINAL
1.	10 mm, 150 mm, long	55 100 417	825.29.30.180.22
2.	13 mm, 150 mm, short	55 300 307	825.29.37.110.50
3.	13 mm, 220 mm, short	55 100 107	825.29.37.120.50
4.	13 mm, 220 mm, short	55 100 107	825.29.37.120.50
5.	10 mm, 220 mm, long	55 100 200	825.29.30.170.22
SET		50 100 204	-
lacings		60 501 110	-
lacings		60 501 311	-
bolts		10 102 900	0.204.014.182.0

KÄSSBOHRER - 5


CLEATS & ACCESSORIES

200N 240 260 280 300 300 POLAR 400 600 600 POLAR		COD.GESPI	ORIGINAL
LEFT-INSIDE	1.365 mm, distanza foro 560 mm	20 60 2202	826.29.37.160.01.0
LEFT-INSIDE	1.365 mm, distanza foro 400 mm	20 60 2101	826.29.37.140.01.0
RIGHT-INSIDE	1.365 mm, distanza foro 560 mm	20 60 1702	826.29.37.260.01.0
RIGHT-INSIDE	1.365 mm, distanza foro 400 mm	20 60 1601	826.29.37.240.01.0
LEFT-OUTSIDE	1.285 mm	20 60 2001	825.29.37.330.06.0
RIGHT-OUTSIDE	1.285 mm	20 60 1501	825.29.37.430.06.0
ice kit	removable spikes	30 400 000	-
Tireguide ALU	Type 40 ALU forged	40 100 300	826.29.90.625.08.0 826.29.90.625.61.0
Tireguide PLA	Type 40	40 200 400	825.29.90.625.08.0
Pad PVC	for tireguide	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0
Steel backing plate M12	215 mm, 3-holes, distance 80 mm, 4 mm reinforced	30 500 500	826.29.00.711.59.0
Steel backing plate M12	145 mm, 2-holes, distance 100 mm, 4 mm reinforced	30 500 600	826.29.00.711.55.0 826.29.00.712.59.0



KÄSSBOHRER - 6

BELTS & ACCESSORIES



PB 600 I 600 POLAR		COD.GESPI	ORIGINAL
1.	13 mm, 120 mm, long	55 100 020	826.29.00.410.61.0
2.	13 mm, 150 mm, short	55 100 021	826.29.00.450.61.0
3.	13 mm, 220 mm, short	55 100 022	826.29.00.430.61.0
4.	13 mm, 150 mm, short	55 100 021	826.29.00.450.61.0
5.	13 mm, 150 mm, short	55 100 021	826.29.00.450.61.0
6.	13 mm, 120 mm, long	55 100 020	826.29.00.410.61.0
SET	4 x 120 mm 6 x 150 mm 2 x 220mm, lacings included	55 100 023	-
lacings	13 mm x 120 mm	60 501 415	-
lacings	13 mm x 150 mm	60 501 316	-
lacings	13 mm x 220 mm	60 501 115	-
bolts	500 units	10 102 900	0.204.014.182.0

KÄSSBOHRER - 6

CLEATS & ACCESSORIES


PB 600 600 POLAR		COD.GESPI	ORIGINAL
OUTSIDE	1.425 mm assembly 1 & 2 holes	20 600 601	826.29.27.710.61.0 826.29.27.730.61.0
INSIDE	1.360 mm assembly 1 & 2 holes	20 600 603	826.29.27.770.61.0 826.29.27.750.61.0

200N 240 260 280 300 300 POLAR 400 600 600 POLAR		COD.GESPI	ORIGINAL
Tireguide ALU	Type 40 ALU forged	40 100 300	826.29.90.625.08.0 826.29.90.625.61.0
Tireguide PLA	Type 40	40 200 400	825.29.90.625.08.0
Pad PVC	for tireguide	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0
Steel backing plate M12	215 mm, 3-holes, distance 80 mm, 4 mm reinforced	30 500 500	826.29.00.711.59.0
Steel backing plate M12	145 mm, 2-holes, distance 100 mm, 4 mm reinforced	30 500 600	826.29.00.711.55.0 826.29.00.712.59.0
Steel backing plate M12	115 mm, 2-holes, distance 70 mm, 4 mm reinforced	30 500 400	826.29.00.721.57.0



KÄSSBOHRER - 7

BELTS & ACCESSORIES



PB 600 I 600 POLAR		COD.GESPI	ORIGINAL
1.	13 mm, 105 mm, long	55 100 001	826.29.00.520.57.0
2.	13 mm, 120 mm, long	55 100 002	826.29.00.570.56.0
3.	13 mm, 150 mm, short	55 100 003	826.29.00.510.55.0
4.	13 mm, 150 mm, short	55 100 003	826.29.00.510.55.0
5.	13 mm, 150 mm, short	55 100 003	826.29.00.510.55.0
6.	13 mm, 150 mm, short	55 100 003	826.29.00.510.55.0
7.	13 mm, 120 mm, long	55 100 002	826.29.00.570.56.0
SET		2 x 105 mm 4 x 120 mm 8 x 150 mm, lacings included	55 100 010 -
lacings		13 mm x 105 mm	60 501 418 -
lacings		13 mm x 120 mm	60 501 415 -
lacings		13 mm x 150 mm	60 501 316 -
bolts		500 units	10 102 900 0.204.014.182.0

KÄSSBOHRER - 7

CLEATS & ACCESSORIES

PB 600		COD.GESPI	ORIGINAL
OUTSIDE	1430-720 M12 - 1 hole	21 430 720	826.29.27.720.57.0
OUTSIDE	1430-740 M12 - 2 holes	21 430 740	826.29.27.740.57.0
INSIDE	1275-760 M12 - 2 holes	21 275 760	826.29.27.760.57.0
INSIDE	1275-80 M12 - 1 hole	21 275 780	826.29.27.780.57.0
OUTSIDE	1430-220 M14 - 1 hole	21 430 220	826.29.27.220.57.0
OUTSIDE	1430-240 M14 - 2 holes	21 430 240	826.29.27.240.57.0
INSIDE	1275-260 M14 - 2 holes	21 275 260	826.29.27.260.57.0
INSIDE	1275-280 M14 - 1 hole	21 275 280	826.29.27.280.57.0
Tireguide ALU	Type 70 M12 - ALU forged	40 500 700	826.29.00.211.57.0
Tireguide ALU	Type 70 M14 - ALU forged	40 500 703	826.29.00.311.57.0
Tireguide PLA	Type 70 M12 - PLA	40 500 701	826.29.00.211.57.0
Pad PVC	for tireguide	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0
Steel backing plate M12	105 mm, 2-holes, distance 65 mm, 4 mm reinforced	30 500 602	826.29.00.722.57.0
Steel backing plate M12	115 mm, 2-holes, distance 70 mm, 4 mm reinforced	30 500 400	826.29.00.721.57.0
Steel backing plate M12	145 mm, 2-holes, distance 100 mm, 4 mm reinforced	30 500 600	826.29.00.711.55.0 826.29.00.712.59.0




PRINOTH/LEITNER



PRINOTH / LEITNER - 5

BELTS & ACCESSORIES



BISON I BISON X		COD.GESPI	ORIGINAL
1.	150 mm, long	55 205 000	-
2.	150 mm, short	55 204 000	-
3.	240 mm, short	55 202 000	-
4.	240 mm, short	55 202 000	-
5.	240 mm, long	55 203 000	-
SET	6 x 240 mm & 4 x 150 mm, lacings included	55 206 000	-
lacings	version G 240 I 220 I 203 mm	60 502 000	-
lacings	version G 150 mm	60 502 100	-

PRINOTH / LEITNER - 5


CLEATS & ACCESSORIES

BISON I BISON X		COD.GESPI	ORIGINAL
LEFT-INSIDE	1.388 mm	20 602 900	-
LEFT-OUTSIDE	1.330 mm	20 601 801	1302838
RIGHT-INSIDE	1.388 mm	20 603 000	-
RIGHT-OUTSIDE	1.330 mm	20 601 800	1302839
ice kit	removable spikes	30 100 800	-
Tireguide	Type 42 M12	40 200 800	202990-00
Steel backing plate M12	235 mm, 3-holes, distance 97,5 mm, 4 mm reinforced	30 602 100	-
Steel backing plate M12	145 mm, 2-holes, distance 105 mm, 4 mm reinforced	30 501 300	-



PRINOTH / LEITNER - 5

BELTS & ACCESSORIES



EVEREST EVEREST POWER		COD.GESPI	ORIGINAL
1.	13 mm, 150 mm, long	55 400 401	1303394
2.	13 mm, 150 mm, short	55 400 301	1303398
3.	13 mm, 240 mm, short	55 400 101	1303394
4.	13 mm, 240 mm, short	55 400 101	1303394
5.	13 mm, 240 mm, long	55 400 201	1303396
SET		55 100 500	-
lacings		version G 240 220 203 mm	60 502 013
lacings		version G 150 mm	60 502 113

PRINOTH / LEITNER - 5


CLEATS & ACCESSORIES

EVEREST EVEREST POWER		COD.GESPI	ORIGINAL
LEFT-INSIDE	1.425 mm	20 602 400	1302842
LEFT-OUTSIDE	1.330 mm	20 601 801	1302838
RIGHT-INSIDE	1.425 mm	20 601 900	1302843
RIGHT-OUTSIDE	1.330 mm	20 601 800	1302839
ice kit	removable spikes	30 100 800	-
EXCALIBUR INSIDE	M12 1.425 mm	20 604 600	-
EXCALIBUR OUTSIDE	M12 1.345 mm	20 604 500	-
Tireguide	Type 42 M12	40 200 800	202990-00
Tireguide	Type 50 M12 ALU forged	40 110 912	1201431
Steel backing plate M12	235 mm, 3-holes, distance 97,5 mm, 4 mm reinforced	30 602 100	-
Steel backing plate M12	145 mm, 2-holes, distance 105 mm, 4 mm reinforced	30 501 300	-



PRINOTH / LEITNER - 5

BELTS & ACCESSORIES



LEITWOLF until 2012		COD.GESPI	ORIGINAL
1.	13 mm, 220 mm, long	55 300 212	1304806
2.	13 mm, 220 mm, short	55 300 101	1304804 / 1201744
3.	13 mm, 203 mm, medium	55 300 403	1201743
4.	13 mm, 220 mm, short	55 300 101	1304804 / 1201744
5.	13 mm, 220 mm, short	55 300 304	1304805
SET	8 x 220 mm & 2 x 203 mm, lacings included	55 100 415	41095153
lacings	version G 240 220 203 mm	60 502 013	-
lacings	version G 150 mm	60 502 113	-

PRINOTH / LEITNER - 5


CLEATS & ACCESSORIES

LEITWOLF until 2012		COD.GESPI	ORIGINALE
EXCALIBUR INSIDE	1.337 mm	20 604 300	1303222 / 1308224
EXCALIBUR OUTSID	1.720 mm	20 604 900	1303221 / 1308223
Double-Tireguide	M12 ROBALON	41 401 500	1100928
Steel backing plate M12	215 mm, 3-holes, distance 80 mm, 4 mm reinforced	30 500 500	-
Steel backing plate M12	215 mm, 3-holes, distance 85 mm, 4 mm reinforced	30 501 000	-



PRINOTH / LEITNER - 6

BELTS & ACCESSORIES




LEITWOLF from 2012 - track 1820 mm, 72 cleats		COD.GESPI	ORIGINAL
1.	13 mm, 150 mm, long	50 302 061	-
2.	13 mm, 220 mm, short	50 302 062	-
3.	13 mm, 220 mm, short	50 302 062	-
4.	13 mm, 220 mm, short	50 302 062	-
5.	13 mm, 150 mm, short	50 302 060	-
6.	13 mm, 150 mm, long	50 302 061	-
SET	4 x 150 mm, 4 x 150 mm, 4 x 220 mm, lacings included	50 302 063	-
lacings	13 mm x 150 mm	60 501 301	-
lacings	13 mm x 225 mm	60 501 115	-
locknut	100 units	10 201 218	-

PRINOTH / LEITNER - 6


NASTRI & ACCESSORI

LEITWOLF from 2012 - track 1720 mm, 72 cleats		COD.GESPI	ORIGINAL
1.	13 mm, 150 mm, long	50 302 061	-
2.	13 mm, 220 mm, short	50 302 062	-
3.	13 mm, 150 mm, short	50 302 060	-
4.	13 mm, 150 mm, short	50 302 060	-
5.	13 mm, 220 mm, short	50 302 062	-
6.	13 mm, 150 mm, long	50 302 061	-
SET	4 x 150 mm, 4 x 150 mm, 4 x 220 mm, lacings included	50 302 063	-
lacings	13 mm x 150 mm	60 501 301	-
lacings	13 mm x 225 mm	60 501 115	-
locknut	M12 100 units	10 201 218	-



PRINOTH / LEITNER - 6

BELTS & ACCESSORIES



LEITWOLF - modified track, 72 cleats		COD.GESPI	ORIGINAL
1.	13 mm, 150 mm, long	50 302 041	1306579
2.	13 mm, 220 mm, short, asymmetric	50 302 043	1306579
3.	13 mm, 150 mm, short	50 302 040	-
4.	13 mm, 150 mm, short	50 302 040	-
5.	13 mm, 220 mm, short, asymmetric	50 302 043	1306577
6.	13 mm, 150 mm, long	50 302 041	1306579
SET	4 x 150 mm, 4 x 150 mm, 4 x 220 mm, lacings included	50 302 044	-
lacings	13 mm x 150 mm	60 502 113	-
lacings	13 mm x 220 mm	60 502 013	-
locknut	M12 100 units	10 201 218	-

PRINOTH / LEITNER - 6

CLEATS & ACCESSORIES

LEITWOLF		COD.GESPI	ORIGINAL
SHORT-OUTSIDE	1.420 mm - track 1.720	20 614 512	-
SHORT-INSIDE	1.420 mm - track 1.720	20 614 513	-
LONG-OUTSIDE	1.510 mm - track 1.820	20 614 510	-
LONG-INSIDE	1.560 mm - track 1.820	20 614 511	-
Tireguide	Type 50, PLA , M12	40 300 010	-
Steel backing plate M12	215 mm, 3-holes, distance 80 mm, 4 mm reinforced	30 500 500	until 2012
Piastra Supporto Acciaio M12	215 mm, 3-holes, distance 85 mm, 4 mm reinforced	30 500 605	until 2012



PRINOTH / LEITNER - 6

CLEATS & ACCESSORIES



LEITWOLF form 2014		COD.GESPI	ORIGINAL
LONG-OUTSIDE	1.525 mm - cingolatura 1.820mm	20 614 603	1305625
SHORT-INSIDE	1.430 mm - cingolatura 1.820/1.720	20 614 601	1305613
SHORT-OUTSIDE	1.430 mm - cingolatura 1.720mm	20 614 602	1305613
studs M12x35	100 units	10 107 601	-
Tireguide ALU	Type 50, forged, M12	40 110 912	from 2012 - 1201431
Tireguide PLA	Type 50, M12	40 110 913	from 2012
Steel backing plate M12	145 mm, 2-holes, distance 105 mm, 4 mm reinforced	30 501 400	from 2016
Steel backing plate M12	215 mm, 3-holes, distance 105/70 mm, 4 mm reinforced	30 500 302	from 2016



WHEELS & TIRES

INNER TUBES



PB 300 400 600		COD.GESPI	ORIGINAL
FRONT TENSION WHEEL	13"	80 200 400	825.24.10.110.06.0

KÄSSBOHRER PRINOTH/LEITNER		COD.GESPI	ORIGINALE
TIRE	Trelleborg 12"	80 100 100	-
TIRE	Trelleborg 13"	80 100 200	-
TIRE	Trelleborg 14"	80 100 300	-



KÄSSBOHRER PRINOTH/LEITNER		COD.GESPI	ORIGINALE
INNER TUBE	12"	80 101 100	-
INNER TUBE	13"	80 101 200	-
INNER TUBE	14"	80 101 300	-

SPROCKETS

BOLTS & STEELRINGS

KÄSSBOHRER		COD.GESPI	ORIGINAL
SPROCKET	PB 100	80 302 111	821.25.08.110.20.0
SPROCKET	PB 100 4F	80 302 116	822.25.08.130.04.0
SPROCKET	PB 200 240 260 280	80 301 000	823.25.08.370.14.0
SPROCKET	PB 400 5-BELTS	80 301 200	823.25.08.370.14.0
SPROCKET	PB 400 6-BELTS	80 201 201	-
SPROCKET	PB 300 600 POLAR 5-BELTS	80 311 201	825.25.08.370.13.0
SPROCKET	PB 600 6-BELTS	80 301 004	826.25.08.430.57.0
SPROCKET	PB 600 7-BELTS	80 301 005	826.25.08.580.61.0

PRINOTH/LEITNER		COD.GESPI	ORIGINAL
SPROCKET	Prinoth Everest	80 301 500	1102294
SPROCKET	Prinoth Bison I Beast	80 301 700	670015404 / 670015418
SPROCKET	Prinoth Husky	80 301 600	670015404 / 670015418
SPROCKET	Prinoth Leitwolf I LH 500 until 2012	80 301 800	1100674
SPROCKET	Prinoth Leitwolf from 2014, 72 cleats	80 301 801	41008788
SPROCKET	Prinoth Leitwolf from 2014, 66 cleats	80 301 802	-



FINISHER FLAP

ADAPTOR PLATES



KÄSSBOHRER PB 300 400 600		COD.GESPI	ORIGINAL
FLAP / FINISHER	Yellow - Left adaptor included	90 000 024	819.83.20.106.11.0
FLAP / FINISHER	Yellow - Right adaptor included	90 000 025	819.83.30.106.11.0

PRINOTH BISON EVEREST LEITWOLF I		COD.GESPI	ORIGINAL
FLAP / FINISHER	Red - Left adaptor included	90 000 013	41096352 / 41023005
FLAP / FINISHER	Red - Right adaptor included	90 000 002	41096354 / 410230053

SNOW FENDERS

MUDGUARD

KÄSSBOHRER		COD.GESPI	ORIGINAL
RIGHT	PB 200 240 260 280	90 312 001	-
LEFT	PB 200 240 260 280	90 312 002	-
RIGHT	PB 300 320 330 POLAR	90 312 005	-
LEFT	PB 300 320 330 POLAR	90 312 006	-
RIGHT	BLACK PB 600 POLAR	90 312 003	-
LEFT	BLACK PB 600 POLAR	90 312 004	-
RIGHT	RED PB 600 POLAR	90 312 007	-
LEFT	RED PB 600 POLAR	90 312 008	-
PRINOTH/LEITNER includes mudflap		COD.GESPI	ORIGINALE
RIGHT	Prinoth Everest	90 311 003	-
LEFT	Prinoth Everest	90 311 004	-
RIGHT	Prinoth Leitwolf until 2016	90 311 001	-
LEFT	Prinoth Leitwolf until 2016	90 311 002	-
RIGHT	Prinoth Leitwolf from 2016	90 311 005	-
LEFT	Prinoth Leitwolf from 2016	90 311 006	-
MUDGUARD FLEX SYSTEM	Fibre 180-220 mm / max 25 m	00 903 113	FBL4004-264493



KÄSSBOHRER

DEFLECTOR



PB 200 240 260 280		COD.GESPI	ORIGINAL
LARGE ROLLER	202 x 60 mm - tension axle	90 400 200	813.24.00.201.35.0
SMALL ROLLER	225 x 60 mm - middle axle	90 400 600	826.24.00201.35.0 / 813.24.00.201.35.0
ROLLER	285 x 48 mm - final drive	90 400 201	-


PB 300 600 POLAR		COD.GESPI	ORIGINAL
LARGE ROLLER	230 x 60 mm - tension axle	90 400 300	826.24.00.330.57.0 / 826.24.00.410.57.0
SMALL ROLLER	150 x 30 mm - tension axle	90 400 500	826.24.10.310.57.0 / 824.24.10.310.57.0
MEDIUM ROLLER	180 x 60 mm - tension axle	90 400 505	826.24.00.321.57.0 / 826.24.00.420.57.0
SMALL ROLLER	225 x 60 mm - middle axle	90 400 600	826.24.00.201.35.0 / 813.24.00.201.35.0
LARGE ROLLER	296 x 40 mm - middle axle	90 400 506	826.24.00.310.57.0 / 826.24.00.320.57.0
ROLLER	380 x 48 mm - final drive	90 400 700	-

PRINOTH / LEITNER

DEFLECTOR

LH 500		COD.GESPI	ORIGINAL
FINAL DRIVE	730 x 250 x 50 mm	90 400 400	-
FRONT AXLE	342 x 150 x 70 mm	90 400 401	-

Prinoth Everest		COD.GESPI	ORIGINAL
FINAL DRIVE	below 730 x 216 x 53,5 mm	90 252 424	-
FINAL DRIVE	above 600 x 230 x 53,5 mm	90 252 425	-
MIDDLE AXLE	below 497,5 x 100 x 40 mm	90 524 211	-
MIDDLE AXLE	above 368 x 112,5 x 38 mm	90 524 212	-
FRONT AXLE	below 30 x 40 mm	90 500 000	-
FRONT AXLE	above 140 x 30 mm	90 524 213	-



WINCH ROPE

KÄSSBOHRER & PRINOTH



KÄSSBOHRER - CAPSTAN		COD.GESPI	ORIGINAL
ROPE	1.050 m, Ø 11 mm	92 200 001	8.461.126.391.0
ROPE	1.130 m, Ø 11 mm	92 200 003	-
ROPE	1.450 m, Ø 11 mm	92 200 004	8.461.140.004.0

PRINOTH/LEITNER - DRUM		COD.GESPI	ORIGINAL
ROPE	1.000 m, Ø 10 mm	92 200 002	1500958
ROPE	1.200 m, Ø 10 mm	92 200 005	1500950
ROPE	1.000 m, Ø 11 mm	92 200 006	1501760
ROPE	1.200 m, Ø 11 mm	92 200 007	1501708

OTHER SPARE PARTS

WINCH & ACCESSORIES

KÄSSBOHRER - Argano		COD.GESPI	ORIGINAL
ROPE DEFLECTOR	4.5 / 4.6 T	92 100 001	8.461.136.044.0
DEFLECTOR BLOCK	4.5 / 4.6 T	92 100 002	8.461.141.011.0
ROPE GUIDE ALU	4.5 / 4.6 T	92 100 003	8.461.136.046.0
ROPEGUIDE ROBALON	4.5 / 4.6 T	92 100 005	8.461.136.046.0
DEFLECTOR CONTROL	4.5 / 4.6 T	92 100 004	8.461.136.044.0
ROPE STRIPPER LEFT	4.0 T	92 100 006	8.461.126.462.0
ROPE STRIPPER RIGHT	4.0 T	92 100 007	8.461.126.461.0
PULLEY WINCH HEAD	Ø 180 mm	92 100 010	8.461.136.028.0
GROOVE GAUGE	Ø 10mm + 11mm	92 201 011	-
BALL BEARING 6305A.RSR	winch 4.5 / 4.6 T	92 201 012	8.461.136.034.0
PULLEY WINCH ARM	Ø 340 mm, 4.5 / 4.6 T	92 201 013	8.461.140.010.0
CYLINDER ROLLER BEARING	Ø 80 mm, 4.5 / 4.6 T	92 201 014	8.461.140.013.0
GREASE FOR BEARING	Ø 80 mm, 4.5 / 4.6 T	92 201 015	8.461.140.013.0
PULLEY WINCH ARM	Ø 340 mm, 4.0 T winch	92 201 016	8.461.126.470.0
AXLE FOR GUIDE ROLLER	4.5 / 4.6 T	92 201 017	8.461.136.031.0
GUIDE ROLLER	4.5 / 4.6 T	92 201 018	8.461.136.032.0

PRINOTH/LEITNER - Tamburo		COD.GESPI	ORIGINAL
PURPLE ROLLER	Ø 108 mm	92 202 001	1306346
BEARING	Ø 42 mm, 6004 2 RS	92 202 002	-
GUIDE ROLLER	Ø 50 mm	92 202 003	1306315
BEARING	Ø 35 mm, 6003 2 RS	92 202 004	8.461.140.004.0



OTHER SERVICES UPON REQUEST





GESPI 3.0 SRL
Via Tellaroli 5/N, 25017
Lonato del Garda [BS]
P.IVA IT08598430968
www.gespi.it 030 910 3427 info@gespi.it